



INSTRUKTION

Åtgångstabell murning av block

LECA MURBLOCK	Block/m ²	Antal m ² /pall	Torrbruk kg/m ²
LECA murblock 7 cm	8,3	14,4	15
LECA murblock 9 cm	8,3	9,6	20
LECA murblock 12 cm	8,3	7,7	25
LECA murblock 15 cm	8,3	5,7	30
LECA murblock 19 cm	8,3	7,2	40
LECA murblock 25 cm	8,3	5,7	50
LECA passblock 25 cm	1,7 block/lpm	5,0	96
LECA murblock 30 cm	8,3	4,3	60
LECA sulblock 59 cm	4 block/lpm	10 lpm/pall	54 kg/lpm *
LECA BLOCK	Block/m ²	Antal m ² /pall	Torrbruk kg/m ² (Tunnfogslim)
LECA block 90 typ 3	8	8,8	8
LECA block 150 typ 3	10	6,0	10
LECA block 200 typ 3	10	6,0	16
LECA block 250 typ 3	10	4,8	16
LECA block 300 typ 3	10	3,6	16
LECA block 350 typ 3	10	3,6	16
LECA block 95 typ 5	10	8,0	3,5
LECA block 125 typ 5	10	6,4	3,5
LECA block 150 typ 5	10	7,2	10
LECA block 200 typ 5	10	6,0	16
LECA block 250 typ 5	10	4,8	16
LECA block 300 typ 5	10	3,6	16
LECA BALKBLOCK	Block/lpm	Antal lpm/pall	Betong liter/lpm *
LECA balkblock 150 typ 3	4	24	11,5
LECA balkblock 200 typ 3	4	20	12,9
LECA balkblock 250 typ 3	4	16	21
LECA balkblock 300 typ 3	4	18	18,4
LECA balkblock 350 typ 3	4	18	19,6
LECA XPS-isolering balkblock	2	-	-

* Finbetong, ej Gullex



INSTRUKTION

Åtgångstabell murning av block

LECA ISOBLOCK	Block/m ²	Antal m ² /pall	Torrbruk kg/m ² (3 mm Tunnfogslim)	
LECA isoblock 300	10	3,0	11	
LECA isoblock 300 hörn	10	3,0	11	
LECA isoblock 300 pelare	10	3,0	11	
LECA isoblock 300 pass	20	1,7	22	
LECA isoblock 350	10	3,0	11	
LECA isoblock 350 hörn	10	3,0	11	
LECA isoblock 350 pelare	10	3,0	11	
LECA isoblock 350 pass	20	1,7	22	
LECA isoblock 380 pass	10	4,8	11	
MURVERKSARMERING	Varje skift, lpm/m ²	Vartannat skift, lpm/m ²	Var 3:e skift, lpm/m ²	Var 5:e skift, lpm/m ²
Bistål 40ob obehandlad	11,40	5,70	3,80	2,30
Bistål 40fz förzinkad	11,40	5,70	3,80	2,30
Bistål 37rf rostfri	11,40	5,70	3,80	2,30
Vajernät 40fz förzinkad	9,90	4,95	3,30	2,02
Vajernät 35rf rostfri	9,90	4,95	3,30	2,02